



ELSEVIER

Chemical Physics 190 (1995) 446-449

---

---

# Chemical Physics

---

---

## Author index to volume 190

- Abbouti Temsamani, M., see J. Liévin 190 (1995) 419  
Ågren, H., see B. Minaev 190 (1995) 11  
Ainetschian, A., G.T. Fraser, B.H. Pate and R.D. Suenram, High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene 190 (1995) 231  
Allcock, P., see D.L. Andrews 190 (1995) 1  
Alvarez, I., see H. Martínez 190 (1995) 139  
Andrews, D.L., P. Allcock and A.A. Demidov, Theory of second harmonic generation in randomly oriented species 190 (1995) 1  
Andrews, S.R., see C.J. Reid 190 (1995) 113  
Applequist, J., Fundamental relationships in the theory of electric multipole moments and multipole polarizabilities in static fields (Chemical Physics 85 (1984) 279-290). Erratum 190 (1995) 153  
  
Ballantine, J.A., see C.J. Reid 190 (1995) 113  
Bartels, D.M., see K.H. Schmidt 190 (1995) 145  
Bennett, F.R., A theoretical reinvestigation of the  $\tilde{A}^1\Pi_u$  state of  $N_2^+$  190 (1995) 53  
Boraas, K. and J.P. Reilly, The  $3\nu_1 + \nu_3$  vibrational overtone spectrum of  $^{13}CH_4$  190 (1995) 301  
Borin, A.C. and F.R. Ornellas, A theoretical study of the transition moments, Einstein  $A$  coefficients, and radiative lifetimes of the lowest triplet states of BeC 190 (1995) 43  
Borro, A.F., I.M. Mills and A. Mose, Overtone spectra and anharmonic resonances in haloacetylenes 190 (1995) 363  
Borsenberger, P.M., see M. Van der Auweraer 190 (1995) 31  
Botschwina, P., B. Schulz, M. Horn and M. Matuschewski, Ab initio calculations of stretching vibrational transitions for the linear molecules HCN, HNC, HCCF and  $HC_3N$  up to high overtones 190 (1995) 345  
Brock, A., see C. Manzanares I. 190 (1995) 247  
Bruun, G., see M.S. Child 190 (1995) 373  
Buenker, R.J., see P. Jensen 190 (1995) 179  
Bunker, P.R. and C. Di Lauro, Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands 190 (1995) 159  
Bylicki, F., see R. Georges 190 (1995) 207  
  
Campargue, A., see R. Georges 190 (1995) 207  
Carrasquillo M., E., see A.L. Utz 190 (1995) 311  
Charvat, A., see R. Georges 190 (1995) 207  
Chenevier, M., see R. Georges 190 (1995) 207  
Child, M.S., G. Bruun and R. Paul, Short time quantum phase space dynamics at a 1:2 Fermi resonance 190 (1995) 373

- Cisneros, C., see H. Martínez 190 (1995) 139
- Coxon, J.A., see P.I. Presunka 190 (1995) 97
- Crim, F.F., see A.L. Utz 190 (1995) 311
- Delon, A., see R. Georges 190 (1995) 207
- Demidov, A.A., see D.L. Andrews 190 (1995) 1
- Demtröder, W., see Ch. Hornberger 190 (1995) 171
- Denda, T., see N. Matsuda 190 (1995) 83
- De Schryver, F.C., see M. Van der Auweraer 190 (1995) 31
- De Urquijo, J., see H. Martínez 190 (1995) 139
- Di Lauro, C., see P.R. Bunker 190 (1995) 159
- Di Lonardo, G., see E. Venuti 190 (1995) 279
- Ferracuti, P., see E. Venuti 190 (1995) 279
- Fraser, G.T., see A. Ainetschian 190 (1995) 231
- Fuentes, B.E., see H. Martínez 190 (1995) 139
- Fusina, L., see E. Venuti 190 (1995) 279
- Gambogi, J.E., R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles, Intramolecular vibrational dynamics of diacetylene and diacetylene-*d*<sub>1</sub> via eigenstate-resolved overtone spectroscopy 190 (1995) 191
- Gaspard, P., see J. Liévin 190 (1995) 419
- Georges, R., A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel, Jet cooled NO<sub>2</sub> intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150 cm 190 (1995) 207
- Handy, N.C., see P. Palmieri 190 (1995) 327
- Harris, F.M., see C.J. Reid 190 (1995) 113
- Held, A. and M. Herman, High resolution spectroscopic study of the first overtone of the N-H stretch and of the fundamentals of the C-H stretches in pyrrole 190 (1995) 407
- Herman, M., see A. Held 190 (1995) 407
- Herman, M., see J. Liévin 190 (1995) 419
- Hirsch, G., see P. Jensen 190 (1995) 179
- Hochstrasser, R.M., see B. Locke 190 (1995) 155
- Horn, M., see P. Botschwina 190 (1995) 345
- Hornberger, Ch., M. König, S.B. Rai and W. Demtröder, Sensitive photoacoustic overtone spectroscopy of acetylene with a multipass photoacoustic cell and a colour centre laser at 1.5 μm 190 (1995) 171
- Hühn, M.M., see P. Palmieri 190 (1995) 327
- Jensen, P., Y. Li, G. Hirsch, R.J. Buenker, T.J. Lee and I.N. Kozin, Fourfold clusters of rovibrational energies in H<sub>2</sub>Te studied with an ab initio potential energy function 190 (1995) 179
- Jonsson, D., see B. Minaev 190 (1995) 11
- Jost, R., see R. Georges 190 (1995) 207
- Kakitani, T., see N. Matsuda 190 (1995) 83
- Kierzkowski, P., R. Ławruszczuk and A. Kowalski, Chemiluminescence quasi-continua in collisions of Ca(<sup>1</sup>S), Sr(<sup>1</sup>S) and Mg\*(<sup>3</sup>P) atoms with I<sub>2</sub> 190 (1995) 131

- König, M., see Ch. Hornberger 190 (1995) 171  
Kowalski, A., see P. Kierzkowski 190 (1995) 131  
Kozin, I.N., see P. Jensen 190 (1995) 179
- Ławruszczuk, R., see P. Kierzkowski 190 (1995) 131  
Lee, T.J., see P. Jensen 190 (1995) 179  
Lee, Y.-Y., see S.D. Price 190 (1995) 123  
Lehmann, K.K., see J.E. Gambogi 190 (1995) 191  
Lehmann, K.K., see J.H. Timmermans 190 (1995) 393  
Leone, S.R., see S.D. Price 190 (1995) 123  
Li, Y., see P. Jensen 190 (1995) 179  
Lian, T., see B. Locke 190 (1995) 155  
Liévin, J., M. Abbouti Temsamani, P. Gaspard and M. Herman, Overtone spectroscopy and dynamics in monodeuteroacetylene ( $C_2HD$ ) 190 (1995) 419  
Locke, B., T. Lian and R.M. Hochstrasser, Determination of Fe-CO geometry and heme rigidity in carbonmonoxyhemoglobin using femtosecond IR spectroscopy (Chemical Physics 158 (1991) 409-419). Erratum 190 (1995) 155
- Manning, M., see S.D. Price 190 (1995) 123  
Manzanares I., C., J. Peng, N. Mina-Camilde and A. Brock, Overtone spectroscopy of isobutane at cryogenic temperatures 190 (1995) 247  
Martínez, H., B.E. Fuentes, I. Alvarez, C. Cisneros and J. de Urquijo, Single and double electron capture in  $H^+$  on Kr collisions at low-keV energies 190 (1995) 139  
Mataga, N., see N. Matsuda 190 (1995) 83  
Matsuda, N., T. Kakitani, T. Denda and N. Mataga, Examination of the viability of the Collins-Kimball model and numerical calculation of the time-dependent energy gap law of photoinduced charge separation in polar solution 190 (1995) 83  
Matuschewski, M., see P. Botschwina 190 (1995) 345  
Mills, I.M., see E. Venuti 190 (1995) 279  
Mills, I.M., see A.F. Borro 190 (1995) 363  
Mina-Camilde, N., see C. Manzanares I. 190 (1995) 247  
Minaev, B., P. Norman, D. Jonsson and H. Ågren, Response theory calculations of singlet-triplet transitions in molecular nitrogen 190 (1995) 11  
Mose, A., see A.F. Borro 190 (1995) 363
- Norman, P., see B. Minaev 190 (1995) 11
- Ornellas, F.R., see A.C. Borin 190 (1995) 43  
Orr, B.J., Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations 190 (1995) 261
- Palmieri, P., R. Tarroni, M.M. Hühn, N.C. Handy and A. Willetts, An improved anharmonic force field of  $CHClF_2$  190 (1995) 327  
Pate, B.H., see A. Ainetshian 190 (1995) 231  
Paul, R., see M.S. Child 190 (1995) 373  
Pearson, R.Z., see J.E. Gambogi 190 (1995) 191  
Peng, J., see C. Manzanares I. 190 (1995) 247  
Presunka, P.I. and J.A. Coxon, Laser excitation and dispersed fluorescence investigations of the  $\tilde{A}^2\Pi-\tilde{X}^2\Sigma^+$  system of SrOH 190 (1995) 97



- Price, S.D., Y.-Y. Lee, M. Manning and S.R. Leone, Laser photodissociation of fluorinated molecular dications 190 (1995) 123
- Puhovski, Y.P. and B.M. Rode, Structure and dynamics of liquid formamide 190 (1995) 61
- Rai, S.B., see Ch. Hornberger 190 (1995) 171
- Reid, C.J., J.A. Ballantine, S.R. Andrews and F.M. Harris, Charge inversion of ground-state and metastable-state  $C_2^+$  cations formed from electroionised  $C_2H_2$  and  $C_2N_2$ , and a re-evaluation of the carbon dimer's ionisation energy 190 (1995) 113
- Reilly, J.P., see K. Boraas 190 (1995) 301
- Rode, B.M., see Y.P. Puhovski 190 (1995) 61
- Schmidt, K.H. and D.M. Bartels, Lack of ionic strength effect in the recombination of hydrated electrons:  $(e^-)_{aq} + (e^-)_{aq} \rightarrow 2(OH^-) + H_2$  190 (1995) 145
- Schulz, B., see P. Botschwina 190 (1995) 345
- Scoles, G., see J.E. Gambogi 190 (1995) 191
- Scoles, G., see J.H. Timmermans 190 (1995) 393
- Stoeckel, F., see R. Georges 190 (1995) 207
- Suenram, R.D., see A. Ainetschian 190 (1995) 231
- Tarroni, R., see P. Palmieri 190 (1995) 327
- Timmermans, J.H., K.K. Lehmann and G. Scoles, The intramolecular dynamics of allene in the region around  $6000\text{ cm}^{-1}$  via eigenstate resolved IR spectroscopy 190 (1995) 393
- Tobiason, J.D., see A.L. Utz 190 (1995) 311
- Troe, J., Simplified models for anharmonic numbers and densities of vibrational states. I. Application to  $NO_2$  and  $H_3^+$  190 (1995) 381
- Utz, A.L., E. Carrasquillo M., J.D. Tobiason and F.F. Crim, Direct observation of weak state mixing in highly vibrationally excited acetylene 190 (1995) 311
- Van der Auweraer, M., G. Verbeek, F.C. De Schryver and P.M. Borsenberger, An assessment of the role of polaron formation to hole transport in a triarylamine doped polymer 190 (1995) 31
- Venuti, E., G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills, Vibration-rotation spectra of  $^{13}C$  containing acetylene: anharmonic resonances 190 (1995) 279
- Verbeek, G., see M. Van der Auweraer 190 (1995) 31
- Watson, J.K.G., The vibration-rotation spectrum and anharmonic potential of  $H_3^+$  190 (1995) 291
- Willetts, A., see P. Palmieri 190 (1995) 327
- Yang, X., see J.E. Gambogi 190 (1995) 191



ELSEVIER

Chemical Physics 190 (1995) 450–459

**Chemical  
Physics**

## Subject index to volume 190

### Methods

#### Theoretical

##### *Group theory and algebras*

- Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands, P.R. Bunker and C. Di Lauro 190 (1995) 159

##### *Classical mechanics*

- Short time quantum phase space dynamics at a 1:2 Fermi resonance, M.S. Child, G. Bruun and R. Paul 190 (1995) 373

##### *Quantized field theory*

- Theory of second harmonic generation in randomly oriented species, D.L. Andrews, P. Allcock and A.A. Demidov 190 (1995) 1

##### *Coupling schemes and perturbative treatments*

- Response theory calculations of singlet–triplet transitions in molecular nitrogen, B. Minaev, P. Norman, D. Jonsson and H. Ågren 190 (1995) 11  
Vibration–rotation spectra of  $^{13}\text{C}$  containing acetylene: anharmonic resonances, E. Venuti, G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills 190 (1995) 279

##### *Transport quantum mechanics*

- An assessment of the role of polaron formation to hole transport in a triarylamine doped polymer, M. Van der Auweraer, G. Verbeek, F.C. De Schryver and P.M. Borsenberger 190 (1995) 31

##### *Statistical mechanics of stationary states*

- Simplified models for anharmonic numbers and densities of vibrational states. I. Application to  $\text{NO}_2$  and  $\text{H}_3^+$ , J. Troe 190 (1995) 381

##### *Ab initio schemes for stationary properties*

- Response theory calculations of singlet–triplet transitions in molecular nitrogen, B. Minaev, P. Norman, D. Jonsson and H. Ågren 190 (1995) 11  
A theoretical study of the transition moments, Einstein  $A$  coefficients, and radiative lifetimes of the lowest triplet states of  $\text{BeC}$ , A.C. Borin and F.R. Ornellas 190 (1995) 43

- Overtone spectroscopy of isobutane at cryogenic temperatures, C. Manzanares I., J. Peng, N. Mina-Camilde and A. Brock 190 (1995) 247
- An improved anharmonic force field of  $\text{CHClF}_2$ , P. Palmieri, R. Tarroni, M.M. Hühn, N.C. Handy and A. Willetts 190 (1995) 327
- Ab initio calculations of stretching vibrational transitions for the linear molecules HCN, HNC, HCCF and  $\text{HC}_3\text{N}$  up to high overtones, P. Botschwina, B. Schulz, M. Horn and M. Matuschewski 190 (1995) 345
- Computational and simulation methods*
- A theoretical reinvestigation of the  $\tilde{\text{A}}^1\Pi_u$  state of  $\text{N}_2^+$ , F.R. Bennett 190 (1995) 53
- Structure and dynamics of liquid formamide, Y.P. Puhovski and B.M. Rode 190 (1995) 61
- Examination of the viability of the Collins–Kimball model and numerical calculation of the time-dependent energy gap law of photoinduced charge separation in polar solution, N. Matsuda, T. Kakitani, T. Denda and N. Mataga 190 (1995) 83
- The vibration–rotation spectrum and anharmonic potential of  $\text{H}_3^+$ , J.K.G. Watson 190 (1995) 291
- Overtone spectra and anharmonic resonances in haloacetylenes, A.F. Borro, I.M. Mills and A. Mose 190 (1995) 363
- Simplified models for anharmonic numbers and densities of vibrational states. I. Application to  $\text{NO}_2$  and  $\text{H}_3^+$ , J. Troe 190 (1995) 381
- Molecular dynamics and scattering theory*
- Fourfold clusters of rovibrational energies in  $\text{H}_2\text{Te}$  studied with an ab initio potential energy function, P. Jensen, Y. Li, G. Hirsch, R.J. Buenker, T.J. Lee and I.N. Kozin 190 (1995) 179
- Vibration–rotation spectra of  $^{13}\text{C}$  containing acetylene: anharmonic resonances, E. Venuti, G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills 190 (1995) 279
- Short time quantum phase space dynamics at a 1:2 Fermi resonance, M.S. Child, G. Bruun and R. Paul 190 (1995) 373
- Experimental**
- Magnetic resonances*
- Overtone spectroscopy and dynamics in monodeuteroacetylene ( $\text{C}_2\text{HD}$ ), J. Liévin, M. Abbouti Temsamani, P. Gaspard and M. Herman 190 (1995) 419
- Microwave spectroscopy*
- High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene, A. Ainetichian, G.T. Fraser, B.H. Pate and R.D. Suenram 190 (1995) 231
- Infrared spectroscopy*
- Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands, P.R. Bunker and C. Di Lauro 190 (1995) 159
- Sensitive photoacoustic overtone spectroscopy of acetylene with a multipass photoacoustic cell and a colour centre laser at  $1.5\ \mu\text{m}$ , Ch. Hornberger, M. König, S.B. Rai and W. Demtröder 190 (1995) 171
- Intramolecular vibrational dynamics of diacetylene and diacetylene- $d_1$  via eigenstate-resolved overtone spectroscopy, J.E. Gambogi, R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles 190 (1995) 191



- High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene, A. Ainetschian, G.T. Fraser, B.H. Pate and R.D. Suenram 190 (1995) 231
- Overtone spectroscopy of isobutane at cryogenic temperatures, C. Manzanares I., J. Peng, N. Mina-Camilde and A. Brock 190 (1995) 247
- Vibration-rotation spectra of  $^{13}\text{C}$  containing acetylene: anharmonic resonances, E. Venuti, G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills 190 (1995) 279
- The vibration-rotation spectrum and anharmonic potential of  $\text{H}_3^+$ , J.K.G. Watson 190 (1995) 291
- Overtone spectra and anharmonic resonances in haloacetylenes, A.F. Borro, I.M. Mills and A. Mose 190 (1995) 363
- The intramolecular dynamics of allene in the region around  $6000\text{ cm}^{-1}$  via eigenstate resolved IR spectroscopy, J.H. Timmermans, K.K. Lehmann and G. Scoles 190 (1995) 393
- High resolution spectroscopic study of the first overtone of the N-H stretch and of the fundamentals of the C-H stretches in pyrrole, A. Held and M. Herman 190 (1995) 407
- Overtone spectroscopy and dynamics in monodeuteroacetylene ( $\text{C}_2\text{HD}$ ), J. Liévin, M. Abbouti Temsamani, P. Gaspard and M. Herman 190 (1995) 419
- Visible and UV spectroscopy*
- A theoretical reinvestigation of the  $\tilde{\text{A}}\ ^1\Pi_u$  state of  $\text{N}_2^+$ , F.R. Bennett 190 (1995) 53
- Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands, P.R. Bunker and C. Di Lauro 190 (1995) 159
- Jet cooled  $\text{NO}_2$  intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150  $\text{cm}^{-1}$ , R. Georges, A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel 190 (1995) 207
- Fluorescence spectroscopy*
- Laser excitation and dispersed fluorescence investigations of the  $\tilde{\text{A}}\ ^2\Pi-\tilde{\text{X}}\ ^2\Sigma^+$  system of  $\text{SrOH}$ , P.I. Presunka and J.A. Coxon 190 (1995) 97
- Laser methods*
- Laser excitation and dispersed fluorescence investigations of the  $\tilde{\text{A}}\ ^2\Pi-\tilde{\text{X}}\ ^2\Sigma^+$  system of  $\text{SrOH}$ , P.I. Presunka and J.A. Coxon 190 (1995) 97
- Laser photodissociation of fluorinated molecular dications, S.D. Price, Y.-Y. Lee, M. Manning and S.R. Leone 190 (1995) 123
- Intramolecular vibrational dynamics of diacetylene and diacetylene- $d_1$  via eigenstate-resolved overtone spectroscopy, J.E. Gambogi, R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles 190 (1995) 191
- Jet cooled  $\text{NO}_2$  intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150  $\text{cm}^{-1}$ , R. Georges, A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel 190 (1995) 207
- Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations, B.J. Orr 190 (1995) 261
- The  $3\nu_1 + \nu_3$  vibrational overtone spectrum of  $^{13}\text{CH}_4$ , K. Boraas and J.P. Reilly 190 (1995) 301
- Direct observation of weak state mixing in highly vibrationally excited acetylene, A.L. Utz, E. Carrasquillo M., J.D. Tobiason and F.F. Crim 190 (1995) 311
- The intramolecular dynamics of allene in the region around  $6000\text{ cm}^{-1}$  via eigenstate resolved IR spectroscopy, J.H. Timmermans, K.K. Lehmann and G. Scoles 190 (1995) 393

*Non-linear optical spectroscopy*

- Theory of second harmonic generation in randomly oriented species, D.L. Andrews, P. Allcock and A.A. Demidov 190 (1995) 1

*Multiple resonance spectroscopy*

- Intramolecular vibrational dynamics of diacetylene and diacetylene- $d_1$  via eigenstate-resolved overtone spectroscopy, J.E. Gambogi, R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles 190 (1995) 191
- High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene, A. Ainetichian, G.T. Fraser, B.H. Pate and R.D. Suenram 190 (1995) 231

*Optoacoustic spectroscopy*

- Sensitive photoacoustic overtone spectroscopy of acetylene with a multipass photoacoustic cell and a colour centre laser at 1.5  $\mu\text{m}$ , Ch. Hornberger, M. König, S.B. Rai and W. Demtröder 190 (1995) 171
- Overtone spectroscopy of isobutane at cryogenic temperatures, C. Manzanares I., J. Peng, N. Mina-Camilde and A. Brock 190 (1995) 247
- The  $3\nu_1 + \nu_3$  vibrational overtone spectrum of  $^{13}\text{CH}_4$ , K. Boraas and J.P. Reilly 190 (1995) 301

*Atomic and molecular beam techniques*

- Charge inversion of ground-state and metastable-state  $\text{C}_2^+$  cations formed from electroionised  $\text{C}_2\text{H}_2$  and  $\text{C}_2\text{N}_2$ , and a re-evaluation of the carbon dimer's ionisation energy, C.J. Reid, J.A. Ballantine, S.R. Andrews and F.M. Harris 190 (1995) 113
- Chemiluminescence quasi-continua in collisions of  $\text{Ca}(^1\text{S})$ ,  $\text{Sr}(^1\text{S})$  and  $\text{Mg}^*(^3\text{P})$  atoms with  $\text{I}_2$ , P. Kierzkowski, R. Ławruszczuk and A. Kowalski 190 (1995) 131
- Single and double electron capture in  $\text{H}^+$  on Kr collisions at low-keV energies, H. Martínez, B.E. Fuentes, I. Alvarez, C. Cisneros and J. de Urquijo 190 (1995) 139
- Intramolecular vibrational dynamics of diacetylene and diacetylene- $d_1$  via eigenstate-resolved overtone spectroscopy, J.E. Gambogi, R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles 190 (1995) 191
- The intramolecular dynamics of allene in the region around  $6000\text{ cm}^{-1}$  via eigenstate resolved IR spectroscopy, J.H. Timmermans, K.K. Lehmann and G. Scoles 190 (1995) 393

*Time-resolved experiments*

- An assessment of the role of polaron formation to hole transport in a triarylamine doped polymer, M. Van der Auweraer, G. Verbeek, F.C. De Schryver and P.M. Borsenberger 190 (1995) 31
- Lack of ionic strength effect in the recombination of hydrated electrons:  $(\text{e}^-)_{\text{aq}} + (\text{e}^-)_{\text{aq}} \rightarrow 2(\text{OH}^-) + \text{H}_2$ , K.H. Schmidt and D.M. Bartels 190 (1995) 145
- Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations, B.J. Orr 190 (1995) 261

*Mass spectrometry*

- Charge inversion of ground-state and metastable-state  $\text{C}_2^+$  cations formed from electroionised  $\text{C}_2\text{H}_2$  and  $\text{C}_2\text{N}_2$ , and a re-evaluation of the carbon dimer's ionisation energy, C.J. Reid, J.A. Ballantine, S.R. Andrews and F.M. Harris 190 (1995) 113
- Laser photodissociation of fluorinated molecular dications, S.D. Price, Y.-Y. Lee, M. Manning and S.R. Leone 190 (1995) 123



## Objects

### Bulk systems

#### Gases

- Fourfold clusters of rovibrational energies in  $\text{H}_2\text{Te}$  studied with an ab initio potential energy function, P. Jensen, Y. Li, G. Hirsch, R.J. Buenker, T.J. Lee and I.N. Kozin 190 (1995) 179
- The  $3\nu_1 + \nu_3$  vibrational overtone spectrum of  $^{13}\text{CH}_4$ , K. Boraas and J.P. Reilly 190 (1995) 301
- Direct observation of weak state mixing in highly vibrationally excited acetylene, A.L. Utz, E. Carrasquillo M., J.D. Tobiasson and F.F. Crim 190 (1995) 311

#### Supersonic beams

- Jet cooled  $\text{NO}_2$  intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150 cm, R. Georges, A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel 190 (1995) 207

#### Liquids neat

- Structure and dynamics of liquid formamide, Y.P. Puhovski and B.M. Rode 190 (1995) 61

#### Liquids mixtures and solutions

- Examination of the viability of the Collins–Kimball model and numerical calculation of the time-dependent energy gap law of photoinduced charge separation in polar solution, N. Matsuda, T. Kakitani, T. Denda and N. Mataga 190 (1995) 83
- Overtone spectroscopy of isobutane at cryogenic temperatures, C. Manzanares I., J. Peng, N. Mina-Camilde and A. Brock 190 (1995) 247

#### Polymers

- An assessment of the role of polaron formation to hole transport in a triarylamine doped polymer, M. Van der Auweraer, G. Verbeek, F.C. De Schryver and P.M. Borsenberger 190 (1995) 31

#### Biological systems

- Theory of second harmonic generation in randomly oriented species, D.L. Andrews, P. Allcock and A.A. Demidov 190 (1995) 1

### Microscopic systems

#### Molecules (neutral and ionic)

##### –diatomic

- Response theory calculations of singlet–triplet transitions in molecular nitrogen, B. Minaev, P. Norman, D. Jonsson and H. Ågren 190 (1995) 11
- A theoretical study of the transition moments, Einstein  $A$  coefficients, and radiative lifetimes of the lowest triplet states of  $\text{BeC}$ , A.C. Borin and F.R. Ornellas 190 (1995) 43
- A theoretical reinvestigation of the  $\tilde{A} \ ^1\Pi_u$  state of  $\text{N}_2^+$ , F.R. Bennett 190 (1995) 53

##### –small polyatomics

- Laser excitation and dispersed fluorescence investigations of the  $\tilde{A} \ ^2\Pi - \tilde{X} \ ^2\Sigma^+$  system of  $\text{SrOH}$ , P.I. Presunka and J.A. Coxon 190 (1995) 97

- Chemiluminescence quasi-continua in collisions of Ca(<sup>1</sup>S), Sr(<sup>1</sup>S) and Mg\*(<sup>3</sup>P) atoms with I<sub>2</sub>, P. Kierzkowski, R. Ławruszczuk and A. Kowalski 190 (1995) 131
- Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands, P.R. Bunker and C. Di Lauro 190 (1995) 159
- Sensitive photoacoustic overtone spectroscopy of acetylene with a multipass photoacoustic cell and a colour centre laser at 1.5 μm, Ch. Hornberger, M. König, S.B. Rai and W. Demtröder 190 (1995) 171
- Fourfold clusters of rovibrational energies in H<sub>2</sub>Te studied with an ab initio potential energy function, P. Jensen, Y. Li, G. Hirsch, R.J. Buenker, T.J. Lee and I.N. Kozin 190 (1995) 179
- Jet cooled NO<sub>2</sub> intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150 cm, R. Georges, A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel 190 (1995) 207
- Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations, B.J. Orr 190 (1995) 261
- Vibration-rotation spectra of <sup>13</sup>C containing acetylene: anharmonic resonances, E. Venuti, G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills 190 (1995) 279
- The vibration-rotation spectrum and anharmonic potential of H<sub>3</sub><sup>+</sup>, J.K.G. Watson 190 (1995) 291
- The 3ν<sub>1</sub> + ν<sub>3</sub> vibrational overtone spectrum of <sup>13</sup>CH<sub>4</sub>, K. Boraas and J.P. Reilly 190 (1995) 301
- Direct observation of weak state mixing in highly vibrationally excited acetylene, A.L. Utz, E. Carrasquillo M., J.D. Tobiasson and F.F. Crim 190 (1995) 311
- An improved anharmonic force field of CHClF<sub>2</sub>, P. Palmieri, R. Tarroni, M.M. Hühn, N.C. Handy and A. Willetts 190 (1995) 327
- Ab initio calculations of stretching vibrational transitions for the linear molecules HCN, HNC, HCCF and HC<sub>3</sub>N up to high overtones, P. Botschwina, B. Schulz, M. Horn and M. Matuschewski 190 (1995) 345
- Overtone spectra and anharmonic resonances in haloacetylenes, A.F. Borro, I.M. Mills and A. Mose 190 (1995) 363
- Short time quantum phase space dynamics at a 1 : 2 Fermi resonance, M.S. Child, G. Bruun and R. Paul 190 (1995) 373
- Simplified models for anharmonic numbers and densities of vibrational states. I. Application to NO<sub>2</sub> and H<sub>3</sub><sup>+</sup>, J. Troe 190 (1995) 381
- The intramolecular dynamics of allene in the region around 6000 cm<sup>-1</sup> via eigenstate resolved IR spectroscopy, J.H. Timmermans, K.K. Lehmann and G. Scoles 190 (1995) 393
- aromatics*
- High resolution spectroscopic study of the first overtone of the N-H stretch and of the fundamentals of the C-H stretches in pyrrole, A. Held and M. Herman 190 (1995) 407
- Overtone spectroscopy and dynamics in monodeuteroacetylene (C<sub>2</sub>HD), J. Liévin, M. Abbouti Temsamani, P. Gaspard and M. Herman 190 (1995) 419
- Molecular aggregates*
- Theory of second harmonic generation in randomly oriented species, D.L. Andrews, P. Allcock and A.A. Demidov 190 (1995) 1
- Free radicals (including hydronium and muonium)*
- Lack of ionic strength effect in the recombination of hydrated electrons: (e<sup>-</sup>)<sub>aq</sub> + (e<sup>-</sup>)<sub>aq</sub> → 2(OH<sup>-</sup>) + H<sub>2</sub>, K.H. Schmidt and D.M. Bartels 190 (1995) 145

*Ions and charge carriers*

- Charge inversion of ground-state and metastable-state  $C_2^+$  cations formed from electroionised  $C_2H_2$  and  $C_2N_2$ , and a re-evaluation of the carbon dimer's ionisation energy, C.J. Reid, J.A. Ballantine, S.R. Andrews and F.M. Harris 190 (1995) 113
- Laser photodissociation of fluorinated molecular dications, S.D. Price, Y.-Y. Lee, M. Manning and S.R. Leone 190 (1995) 123
- Lack of ionic strength effect in the recombination of hydrated electrons:  $(e^-)_{aq} + (e^-)_{aq} \rightarrow 2(OH^-) + H_2$ , K.H. Schmidt and D.M. Bartels 190 (1995) 145

**Phenomena***Molecular structure*

- An improved anharmonic force field of  $CHClF_2$ , P. Palmieri, R. Tarroni, M.M. Hühn, N.C. Handy and A. Willetts 190 (1995) 327

*Vibrations and rotations of molecules*

- Laser excitation and dispersed fluorescence investigations of the  $\tilde{A}^2\Pi-\tilde{X}^2\Sigma^+$  system of SrOH, P.I. Presunka and J.A. Coxon 190 (1995) 97
- Dimethylacetylene: the theory required to analyse the infrared and Raman perpendicular bands, P.R. Bunker and C. Di Lauro 190 (1995) 159
- Sensitive photoacoustic overtone spectroscopy of acetylene with a multipass photoacoustic cell and a colour centre laser at  $1.5\ \mu m$ , Ch. Hornberger, M. König, S.B. Rai and W. Demtröder 190 (1995) 171
- Fourfold clusters of rovibrational energies in  $H_2Te$  studied with an ab initio potential energy function, P. Jensen, Y. Li, G. Hirsch, R.J. Buenker, T.J. Lee and I.N. Kozin 190 (1995) 179
- Intramolecular vibrational dynamics of diacetylene and diacetylene- $d_1$  via eigenstate-resolved overtone spectroscopy, J.E. Gambogi, R. Zachary Pearson, X. Yang, K.K. Lehmann and G. Scoles 190 (1995) 191
- High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene, A. Ainetschian, G.T. Fraser, B.H. Pate and R.D. Suenram 190 (1995) 231
- Overtone spectroscopy of isobutane at cryogenic temperatures, C. Manzanares I., J. Peng, N. Mina-Camilde and A. Brock 190 (1995) 247
- Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations, B.J. Orr 190 (1995) 261
- Vibration-rotation spectra of  $^{13}C$  containing acetylene: anharmonic resonances, E. Venuti, G. Di Lonardo, P. Ferracuti, L. Fusina and I.M. Mills 190 (1995) 279
- The vibration-rotation spectrum and anharmonic potential of  $H_3^+$ , J.K.G. Watson 190 (1995) 291
- The  $3\nu_1 + \nu_3$  vibrational overtone spectrum of  $^{13}CH_4$ , K. Boraas and J.P. Reilly 190 (1995) 301
- Direct observation of weak state mixing in highly vibrationally excited acetylene, A.L. Utz, E. Carrasquillo M., J.D. Tobiasson and F.F. Crim 190 (1995) 311
- An improved anharmonic force field of  $CHClF_2$ , P. Palmieri, R. Tarroni, M.M. Hühn, N.C. Handy and A. Willetts 190 (1995) 327
- Ab initio calculations of stretching vibrational transitions for the linear molecules HCN, HNC, HCCF and  $HC_3N$  up to high overtones, P. Botschwina, B. Schulz, M. Horn and M. Matuschewski 190 (1995) 345



- Overtone spectra and anharmonic resonances in haloacetylenes, A.F. Borro, I.M. Mills and A. Mose 190 (1995) 363
- High resolution spectroscopic study of the first overtone of the N–H stretch and of the fundamentals of the C–H stretches in pyrrole, A. Held and M. Herman 190 (1995) 407
- Electronic structure and states*
- Response theory calculations of singlet–triplet transitions in molecular nitrogen, B. Minaev, P. Norman, D. Jonsson and H. Ågren 190 (1995) 11
- A theoretical study of the transition moments, Einstein *A* coefficients, and radiative lifetimes of the lowest triplet states of BeC, A.C. Borin and F.R. Ornellas 190 (1995) 43
- A theoretical reinvestigation of the  $\tilde{A}^1\Pi_u$  state of  $N_2^+$ , F.R. Bennett 190 (1995) 53
- Laser excitation and dispersed fluorescence investigations of the  $\tilde{A}^2\Pi-\tilde{X}^2\Sigma^+$  system of SrOH, P.I. Presunka and J.A. Coxon 190 (1995) 97
- Charge inversion of ground-state and metastable-state  $C_2^+$  cations formed from electroionised  $C_2H_2$  and  $C_2N_2$ , and a re-evaluation of the carbon dimer's ionisation energy, C.J. Reid, J.A. Ballantine, S.R. Andrews and F.M. Harris 190 (1995) 113
- Electric and magnetic properties*
- Ab initio calculations of stretching vibrational transitions for the linear molecules HCN, HNC, HCCF and  $HC_3N$  up to high overtones, P. Botschwina, B. Schulz, M. Horn and M. Matuschewski 190 (1995) 345
- Spectral bandshapes and intensities*
- High resolution spectroscopic study of the first overtone of the N–H stretch and of the fundamentals of the C–H stretches in pyrrole, A. Held and M. Herman 190 (1995) 407
- Overtone spectroscopy and dynamics in monodeuteroacetylene ( $C_2HD$ ), J. Liévin, M. Abbouti Temsamani, P. Gaspard and M. Herman 190 (1995) 419
- Coupling of electronic and nuclear motion*
- Jet cooled  $NO_2$  intra cavity laser absorption spectroscopy (ICLAS) between 11200 and 16150 cm, R. Georges, A. Delon, F. Bylicki, R. Jost, A. Campargue, A. Charvat, M. Chenevier and F. Stoeckel 190 (1995) 207
- Energy transfer processes*
- Collision-induced state-to-state energy transfer in perturbed rovibrational manifolds of small polyatomic molecules: mechanistic insights and observations, B.J. Orr 190 (1995) 261
- Molecular photophysical processes*
- Laser photodissociation of fluorinated molecular dications, S.D. Price, Y.-Y. Lee, M. Manning and S.R. Leone 190 (1995) 123
- Simplified models for anharmonic numbers and densities of vibrational states. I. Application to  $NO_2$  and  $H_3^+$ , J. Troe 190 (1995) 381
- Intramolecular dynamics*
- Short time quantum phase space dynamics at a 1:2 Fermi resonance, M.S. Child, G. Bruun and R. Paul 190 (1995) 373
- High resolution spectroscopic study of the first overtone of the N–H stretch and of the fundamentals of the C–H stretches in pyrrole, A. Held and M. Herman 190 (1995) 407

*-vibrational energy redistribution (including vibrational dissociation)*

- High-order torsional couplings in the infrared spectrum of 3,3,3-trifluoropropene,  
A. Ainetschian, G.T. Fraser, B.H. Pate and R.D. Suenram 190 (1995) 231
- Direct observation of weak state mixing in highly vibrationally excited acetylene, A.L. Utz,  
E. Carrasquillo M., J.D. Tobiasson and F.F. Crim 190 (1995) 311
- Overtone spectra and anharmonic resonances in haloacetylenes, A.F. Borro, I.M. Mills and  
A. Mose 190 (1995) 363
- Short time quantum phase space dynamics at a 1:2 Fermi resonance, M.S. Child, G. Bruun  
and R. Paul 190 (1995) 373
- Simplified models for anharmonic numbers and densities of vibrational states. I. Application  
to NO<sub>2</sub> and H<sub>3</sub><sup>+</sup>, J. Troe 190 (1995) 381
- The intramolecular dynamics of allene in the region around 6000 cm<sup>-1</sup> via eigenstate  
resolved IR spectroscopy, J.H. Timmermans, K.K. Lehmann and G. Scoles 190 (1995) 393
- Overtone spectroscopy and dynamics in monodeuteroacetylene (C<sub>2</sub>HD), J. Liévin,  
M. Abbouti Temsamani, P. Gaspard and M. Herman 190 (1995) 419

*Luminescence spectra, yields and lifetimes*

- Response theory calculations of singlet-triplet transitions in molecular nitrogen, B. Minaev,  
P. Norman, D. Jonsson and H. Ågren 190 (1995) 11
- A theoretical study of the transition moments, Einstein *A* coefficients, and radiative lifetimes  
of the lowest triplet states of BeC, A.C. Borin and F.R. Ornellas 190 (1995) 43

*Multiphoton phenomena*

- Theory of second harmonic generation in randomly oriented species, D.L. Andrews,  
P. Allcock and A.A. Demidov 190 (1995) 1

*Reactions (including dissociation)**-gas phase*

- Laser photodissociation of fluorinated molecular dications, S.D. Price, Y.-Y. Lee,  
M. Manning and S.R. Leone 190 (1995) 123
- Chemiluminescence quasi-continua in collisions of Ca(<sup>1</sup>S), Sr(<sup>1</sup>S) and Mg\*(<sup>3</sup>P) atoms  
with I<sub>2</sub>, P. Kierzkowski, R. Ławruszczuk and A. Kowalski 190 (1995) 131

*-condensed phase*

- Lack of ionic strength effect in the recombination of hydrated electrons:  
(e<sup>-</sup>)<sub>aq</sub> + (e<sup>-</sup>)<sub>aq</sub> → 2(OH<sup>-</sup>) + H<sub>2</sub>, K.H. Schmidt and D.M. Bartels 190 (1995) 145

*Tunneling*

- A theoretical reinvestigation of the  $\tilde{A} \ ^1\Pi_u$  state of N<sub>2</sub><sup>2+</sup>, F.R. Bennett 190 (1995) 53

*Electron transfer*

- An assessment of the role of polaron formation to hole transport in a triarylamine doped  
polymer, M. Van der Auweraer, G. Verbeek, F.C. De Schryver and P.M. Borsenberger 190 (1995) 31
- Examination of the viability of the Collins-Kimball model and numerical calculation of the  
time-dependent energy gap law of photoinduced charge separation in polar solution,  
N. Matsuda, T. Kakitani, T. Denda and N. Mataga 190 (1995) 83

- Charge inversion of ground-state and metastable-state  $C_2^+$  cations formed from electroionised  $C_2H_2$  and  $C_2N_2$ , and a re-evaluation of the carbon dimer's ionisation energy, C.J. Reid, J.A. Ballantine, S.R. Andrews and F.M. Harris 190 (1995) 113
- Single and double electron capture in  $H^+$  on Kr collisions at low-keV energies, H. Martínez, B.E. Fuentes, I. Alvarez, C. Cisneros and J. de Urquijo 190 (1995) 139
- Molecular motion (including diffusive)*
- Structure and dynamics of liquid formamide, Y.P. Puhovski and B.M. Rode 190 (1995) 61
- Examination of the viability of the Collins–Kimball model and numerical calculation of the time-dependent energy gap law of photoinduced charge separation in polar solution, N. Matsuda, T. Kakitani, T. Denda and N. Mataga 190 (1995) 83
- Lack of ionic strength effect in the recombination of hydrated electrons:  $(e^-)_{aq} + (e^-)_{aq} \rightarrow 2(OH^-) + H_2$ , K.H. Schmidt and D.M. Bartels 190 (1995) 145
- Thermodynamic and transport properties*
- An assessment of the role of polaron formation to hole transport in a triarylamine doped polymer, M. Van der Auweraer, G. Verbeek, F.C. De Schryver and P.M. Borsenberger 190 (1995) 31



